SmartStation

User Manual

For iFusion documentation in other languages and general support information, visit http://www.thefusionphone.com

Copyright © 2011

All rights reserved. No part of this User's Manual may be reproduced or copied by any means without the consent of the manufacturer. The information and specification in this document may change without prior notice.

Bluetooth trademarks are owned by Bluetooth SIG, Inc. and used under license.

FaceTime is a trademark of Apple, Inc.

Contents

Introduction 1
Front view 1
Back view 2
Bluetooth connection 3
1. Preparing the iPhone 4
2. Preparing the iFusion 4
3. Pairing the devices 4
Making and answering calls 6
Switching a call to the iPhone 6
Switching a call to the iFusion 7
Muting a call 7
Adjusting the volume 7
Playing music 8
Synchronizing data 9
Using iFusion with FaceTime 10
Troubleshooting 11
FCC Notice 14
Industry Canada 15
CE 15
Bluetooth 15
WEEE Notice 16
RoHS Compliance 16
iFusion End-user License Agreement 16

Introduction

Congratulations on your purchase of iFusion.

This manual shows you how to pair your iPhone with the iFusion, make and receive calls, listen to music, charge your iPhone, and synchronize iPhone data with your computer.

Front view



1	Hook switch	Handset on-hook, off-hook switch.
2		**Bluetooth button** – Touch and hold (for 5 seconds) to enter pairing mode. Rapid blinking light: Pairing Slow blinking light: Reconnecting Steady light: Connected
3		**Mute button** – Touch to mute the handset or speaker. To unmute the call, touch it again. Red light: Muted

4		**Speaker button** – Touch to make a call using the speaker. Green light: Hands-free mode (speaker on)
5		**Volume Down button** – Touch to lower the volume. Rapid blinking: Minimum reached
6		**Volume Up button** – Touch to raise the volume. Rapid blinking: Maximum reached
7	Docking cradle	Where you connect the iPhone to the iFusion. While docked, the iPhone charges.

Back view



1	Power port	Connects the power cord.
2	Mini USB port	Connects the iFusion to a computer. Use a mini USB male to standard USB male cable.
3	Stereo 3.5mm audio jack	Connects external speakers (for music).

4	Handset port	Connects the handset cord to the iFusion.
5	Cable guide	Holds the handset cord in place, so that the iFusion does not wobble on the desk.

Bluetooth connection

You will need to pair your iPhone with the iFusion. iFusion is compatible with Bluetooth 2.1+EDR. The iFusion provides Bluetooth support for iPhones up to approximately 10 meters (33 feet) away. Direct line-of-sight provides a longer range.

Here is some general information about this Bluetooth connection:

- After the devices have been paired, the iFusion saves the connection details in memory. Multiple iPhones can be paired with the iFusion, but only one iPhone can be actively connected at a time.
- The connection is severed once you take the iPhone out of range of the iFusion. When you bring the iPhone back within range, the devices automatically reconnect.

For optimal Bluetooth performance with the iFusion:

- Keep the iPhone docked in the iFusion.
- Position the iFusion away from radio frequency (RF) emission sources such as laptops or other electronic equipment, because such devices can interfere with Bluetooth communications.

Note: If more than one Bluetooth device is connected to the iPhone, it may take several seconds for the iPhone to connect the voice path to the iFusion for incoming calls. For this reason, we recommend that you disconnect all other bluetooth devices from the iPhone.

1. Preparing the iPhone

On the iPhone, go to *Settings* > *General* > *Bluetooth*. Turn on Bluetooth. The iPhone is now discoverable, and it searches for other Bluetooth devices nearby.



2. Preparing the iFusion

Touch and hold the Bluetooth button on the iFusion for three to five seconds, until the button blinks rapidly. The iFusion is now in pairing mode.

Note: If the pairing process is not completed within 60 seconds, the Bluetooth button blinks slowly again, indicating that the process was cancelled. Repeat step 2.

3. Pairing the devices

Once the iFusion is listed on the iPhone screen, tap *iFusion xxxxxx* to pair the two devices. On the iPhone, the status changes from *Not Paired* to *Connected* when the Bluetooth connection has been made.

After the connection has been established, the Bluetooth button on the iFusion glows with a steady blue light.

If the connection is lost, the button blinks slowly. When you bring the iPhone back into range, the light glows a steady blue again after it reconnects.

If you try to connect an iPhone to the iFusion while another iPhone is already connected, the connection request is refused and you see an error message.



Making and answering calls

To use the iFusion, the iPhone does not have to be docked; it must be connected by Bluetooth and be within range of the iFusion.

When a call comes in, both the iPhone and the iFusion ring. To answer the call, either pick up the handset or touch the Speaker button on the iFusion.

If the iPhone is docked when you make a call, the iFusion speaker automatically comes on unless you pick up the handset. You can call a number from your iPhone's Contacts list, Call log, dial pad, or Favorites list.

To end a call, either touch the Speaker button on the iFusion (if you were on speaker) or return the handset to its cradle.

Switching a call to the iPhone

1. If the iPhone is docked, remove it from the cradle.
2. Tap the iPhone *audio source* button.
3. Select *iPhone*.



Switching a call to the iFusion

If you begin a call out of range of the iFusion, you can switch the call to the iFusion once the Bluetooth connection is reinstated:

1 Tap the iPhone *audio source* button.

2 Select *iFusion xxxxxx*.

Muting a call

While talking on the handset or through the speaker, you can mute the call. Touch the Mute button once to mute the call; the button glows red. To unmute the call, tap the Mute button again.

Adjusting the volume

The Volume buttons adjust the current sound level. There are four separate volume settings:

Ringer – If a call is coming in (or if the iFusion is idle), the Volume buttons adjust the sound level of the iFusion ringer.

Speaker – If you are on a call through the speaker, the Volume buttons adjust the sound level of the speaker.

Handset – If you are on a call on the handset, the Volume buttons adjust the sound level of the handset.

Music – If you are playing music, the Volume buttons adjust the sound level of the music.

The Volume buttons will blink rapidly when the volume reaches the minimum or maximum level.

If power to the iFusion is interrupted, all volume levels will return to their default settings.

To mute the ringer on the iFusion, touch the Volume Down button until its light blinks rapidly. (This will not mute the iPhone ringer.)

Pressing an iPhone Volume button will mute both the iPhone ringer and the iFusion ringer for the current call.

Playing music

You can play music (or other stored audio) through the iFusion or through external speakers, if you have speakers connected. For best sound quality, we recommend that you use amplified stereo speakers.

Just tap the *iPod* icon on your iPhone to play music or other stored audio through the iFusion speaker.

To play music or other stored audio through a set of external speakers, connect the speaker cable to the audio jack in the back of the iFusion (external speakers are not used for voice calls)



If a call comes in while you are playing music, the music automatically stops playing and the iFusion rings. Once the call ends, the music resumes.

Note: While you are playing music or other audio, pressing the Speaker button has no effect (although the button itself will glow).

Synchronizing data

You can synchronize data such as e-mail, calendar, contacts, music, photo, and other media files between your iPhone and the computer, through iFusion.

1 Install the iPhone application software and driver on the computer.

2 Use a mini-USB to USB standard cable (not provided) to connect the computer and the iFusion.



3 Plug your iPhone to the docking cradle. The computer acknowledges the iPhone.

4 To synchronize data between your iPhone and the computer, follow the instructions provided with the iPhone application software.

Note: It will take slightly longer to charge the iPhone when the iFusion is connected to a computer.

Using iFusion with FaceTime

Placing your iPhone in the cradle of the iFusion puts it at a great angle for FaceTime video chats. Here are some tips for using iFusion with FaceTime:

- FaceTime is supported only on iPhone 4
- To use the iFusion handset on a video chat, you must upgrade the iPhone IOS to version 4.2 or later
- In your iPhone, go to *Settings* > *Phone* and make sure *FaceTime* is set to On
- Make sure Wi-Fi is used on both ends

Troubleshooting

Here are solutions to some common problems that you may encounter when using the iFusion. Also refer to the *FAQ* (Frequently Asked Questions) document on the Support tab at www.thefusionphone.com.

Problem

It takes a few seconds for the iFusion to connect the sound for an incoming call.

Possible Cause	Remedy
More than one Bluetooth device is connected to the iPhone.	If you connect more than one Bluetooth headset to the iPhone, then the iPhone may take the several seconds to connect the voice path to the iFusion for an incoming call. For optimal performance, disconnect all other Bluetooth devices from the iPhone and leave the iPhone docked in the iFusion cradle while in use.

Problem

I cannot hear the music.

Possible Cause	Remedy
The volume is set too low.	While the music is playing, touch the Volume Up button to increase the sound level. Check the external sound device volume setting; it can override the iFusion setting. Be sure the device has power. Check the iPhone volume setting. It may be overriding the iFusion setting.

The speaker is not connected.	Verify that the speaker cable is properly connected to the 3.5mm stereo audio jack in the back of the iFusion. You can disconnect the cable to hear music through the iFusion speaker.

Problem
The iPhone call is not going through the iFusion.

Possible Cause	Remedy
The iFusion may not be connected to your iPhone.	Check whether the Bluetooth button is blinking. A slow blinking light means the iPhone is not connected to the iFusion. Try to re-pair the devices. Check that the audio source on the iPhone is set to iFusion. On the iPhone, check that iFusion shows as a device under *Settings* > *Bluetooth*.

Problem
The computer does not recognize my iPhone when the iFusion is connected via a USB cable.

Note: Before troubleshooting the iFusion USB connection, ensure that your iPhone works correctly while it is directly connected to the computer.

Possible Cause	Remedy
The iPhone driver is not installed on the computer.	Install the iPhone driver by following the instructions in the iPhone *User Manual*.

The USB cable is not properly connected.	The mini end of the USB cable plugs into the back of the iFusion. The USB standard A end plugs into the USB connector on the computer. Try a different USB port on the computer; sometimes front ports are not active.
The iPhone is not properly connected to the cradle.	If your iPhone does not have a case, it may not attach properly to the connector in the cradle of the iFusion. Insert the cushion (provided) in the bottom of the cradle so that the iPhone sits correctly. If you need to remove the cushion when you put your iPhone in a case, pull the cushion up by the notch on its right side.

Problem
The iPhone does not charge.

Possible Cause	Remedy
The iPhone is not properly connected.	If your iPhone does not have a case, it may not attach properly to the connector in the cradle of the iFusion. Insert the cushion (provided) in the bottom of the cradle so that the iPhone sits correctly. If you need to remove the cushion when you put your iPhone in a case, pull the cushion up by the notch on its right side.

Problem
The iPhone cannot locate my iFusion.

Possible Cause	Remedy
The iPhone was set to forget the iFusion.	Choosing *Forget this device* on the iPhone Bluetooth tab removes the paired Bluetooth device from memory. Repeat the pairing process.

Problem
When I try to connect the iPhone to iFusion, a message indicates that the phone is not in range.

Possible Cause	Remedy
Another iPhone may already be paired with the iFusion.	If the iFusion Bluetooth button has a solid blue light, another iPhone is paired with the device. Only one iPhone at a time can be paired with iFusion.

FCC Notice

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This device has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This device generates, uses and can radiated radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a

particular installation. If this device does cause harmful interference to radio or television reception, which can be determined by turning the device off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the device and the receiver.
- Connect the device into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Users are not permitted to make changes or modify the device in any way. Changes or modifications not expressly approved by the AltiGen will void the user's authority to operate the device.

Industry Canada

Operation is subject to the following two conditions: (1) This device may not cause interference, and (2) This device must accept any interference, including interference that may cause undesired operation of the device. The term “IC:” before the certification/registration number only signifies that registration was performed based upon a Declaration of Conformity indicating that Industry Canada technical specifications were met. It does not imply that Industry Canada approved the device.

Ce dispositif est conforme à la norme CNR-210 d'Industrie Canada applicable aux appareils radio exempts de licence. Son fonctionnement est sujet aux deux conditions suivantes: (1) le dispositif ne doit pas produire de brouillage préjudiciable, et (2) ce dispositif doit accepter tout brouillage reçu, y compris un brouillage susceptible de provoquer un fonctionnement indésirable.

CE

This device is CE marked according to the provisions of the R & TTE Directive (99/5/EC).

Hereby, AltiGen Corporation declares that this device is in compliance with the essential requirements and other relevant provisions of Directive 1999/5/EC.

Please note that this device uses radio frequency bands not harmonised within EU. Within the EU this device is intended to be used in Austria, Belgium, Denmark, Finland, France, Germany, Greece, Ireland, Italy, Luxembourg, The Netherlands, Portugal, Spain, Sweden, United Kingdom and within EFTA in Iceland, Norway, and Switzerland.

Bluetooth

The *Bluetooth®* word mark and logos are owned by the Bluetooth SIG, Inc. and use of such marks by AltiGen are under license. Other trademarks and trade names are those of their respective owners.

WEEE Notice

The WEEE logo on the product or on its box indicates that this product must not be disposed of or dumped with your other household waste. You are liable to dispose of all your electronic or electrical waste equipment by relocating over to the specified collection point for recycling of such hazardous waste. Isolated collection and proper recovery of your electronic and electrical waste equipment at the time of disposal will allow us to help conserve natural resources. Moreover, proper recycling of the electronic and electrical waste equipment will ensure safety of human health and environment. For more information about electronic and electrical waste equipment disposal, recovery, and collection points, please contact your local city center, household waste disposal service, shop from where you purchased the equipment, or manufacturer of the equipment.

RoHS Compliance

This product is in compliance with Directive 2002/95/EC of the European Parliament and of the Council of 27 January 2003, on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) and its amendments.

iFusion End-user License Agreement

THE IFUSION SMARTSTATION PRODUCT (THE "PRODUCT") CONTAINS CERTAIN COMPUTER PROGRAMS AND OTHER PROPRIETARY MATERIAL (THE "SOFTWARE"), THE USE OF WHICH IS SUBJECT TO THIS

END USER SOFTWARE LICENSE AGREEMENT ("EULA"). IF YOU ("END USER") USE THE PRODUCT IN ANY MANNER, YOU ACCEPT THE TERMS AND CONDITIONS SET FORTH IN THIS EULA IN THEIR ENTIRETY.

1.LICENSE

Subject to the terms and conditions of this EULA, AltiGen Communications, Inc. ("AltiGen") grants End User a limited, non-exclusive, non-transferable (except as expressly permitted herein), non-sublicenseable license to execute and use the Software in object code form solely on the Product ("License"). End User has no right to receive any source code or design documentation relating to the Software.

2.RESTRICTIONS

AltiGen shall at all times retain title, all ownership rights, and all intellectual property rights in and to the Software and any derivative works thereof. Except as expressly set forth in the License above, all rights are reserved by AltiGen. Without limiting the generality of the foregoing, End User shall not, nor shall End User allow any third party to: (a) decompile, disassemble, decrypt, extract, or otherwise reverse engineer or attempt to reconstruct, or discover any source code or underlying ideas, algorithms, or file formats of, or used in, the Software by any means whatsoever; (b) remove or conceal any product identification, copyright or other notices contained in or on the Software or accompanying documents; (c) reproduce or modify the Software, incorporate it into or with other software or create a derivative work of any part of the Software or (d) allow for timesharing, service bureau, subscription service, or rental use of the Software. End User shall not publish or provide any results of benchmark tests run on the Software to a third party without AltiGen's prior written consent.

The Software is AltiGen's confidential information and contains trade secrets. It is protected by copyright and other intellectual property laws of the United States and international treaties and other applicable law. The License is personal to End User. End User shall not assign, sublicense or transfer the License or this EULA without AltiGen's prior written approval.

3.TERMINATION OF LICENSE

The License is effective until terminated. The License shall automatically terminate without notice if End User fails to comply with any term or condition set forth in this EULA. Upon termination of the License, End User shall immediately cease all use of the Software. End User's obligations under this EULA shall survive termination.

4.WARRANTY DISCLAIMER

TO THE MAXIMUM EXTENT PERMITTED BY LAW, THE SOFTWARE AND THE ACCOMPANYING DOCUMENTATION ARE PROVIDED "AS IS" AND "AS AVAILABLE," WITHOUT ANY WARRANTY, WHETHER EXPRESS, IMPLIED, STATUTORY, OR OTHERWISE INCLUDING WITHOUT LIMITATION THE IMPLIED WARRANTIES OF MERCHANTABILITY, TITLE, NON-INFRINGEMENT OF THIRD PARTY RIGHTS, AND FITNESS FOR A PARTICULAR PURPOSE.

5.LIMITATION OF LIABILITY

TO THE MAXIMUM EXTENT PERMITTED BY LAW, IN NO EVENT SHALL ALTIGEN BE LIABLE FOR PERSONAL INJURY, OR ANY DIRECT, INCIDENTAL, SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES WHATSOEVER, INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF DATA, BUSINESS INTERRUPTION OR ANY OTHER COMMERCIAL DAMAGES OR LOSSES, ARISING OUT OF OR RELATED TO YOUR USE OF OR INABILITY TO USE THE SOFTWARE OR ANY THIRD PARTY SOFTWARE OR PRODUCTS IN CONJUNCTION WITH THE SOFTWARE, HOWEVER CAUSED, REGARDLESS OF THE THEORY OF LIABILITY (CONTRACT, TORT OR OTHERWISE) AND EVEN IF ALTIGEN HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES. SOME JURISDICTIONS DO NOT ALLOW THE LIMITATION OF LIABILITY FOR PERSONAL INJURY, OR OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS LIMITATION MAY NOT APPLY TO YOU. THE FOREGOING LIMITATIONS APPLY EVEN IF THE ABOVE STATED REMEDY FAILS OF ITS ESSENTIAL PURPOSE.

6.U.S. GOVERNMENT

The Software and any accompanying documentation constitute commercial computer software and commercial computer software documentation devel-

oped exclusively at private expense, and are in all respects proprietary property belonging solely to AltiGen or its licensors. If End User is licensing the Software and accompanying documentation on behalf of any part of the U.S. Government, the following provisions apply: The Software and accompanying documentation are deemed to be "commercial computer software" and "commercial computer software documentation", respectively, pursuant to DFAR Section 227.7202 and FAR 12.212, as applicable. Any use, modification, reproduction, release, performance, display or disclosure of the Software and/or the accompanying documentation by the U.S. Government or any of its agencies shall be governed solely by this EULA and shall be prohibited except to the extent expressly permitted by this EULA. Manufacturer is: AltiGen Communications, Inc., 410 East Plumeria Drive, San Jose, CA 95134. Except as expressly licensed hereunder, all rights are reserved.

7.COMPLIANCE WITH LAWS

AltiGen's Software is subject to U.S. export control laws and may be subject to export or import regulations in other countries. End User shall comply with all applicable federal, state, local and foreign laws and ordinances including, but not limited to all export and import laws, restrictions and regulations of the Department of Commerce or other U.S. or foreign agency or authority.

8.GENERAL

Any notice, report, approval, or consent required or permitted by this EULA shall be in writing. If any provision of this EULA shall be adjudged by any court of competent jurisdiction to be unenforceable or invalid, that provision shall be limited or eliminated to the minimum extent necessary so that the obligations of the parties shall remain in full force and effect and enforceable. End User agrees that a material breach of this EULA by it would cause irreparable injury to AltiGen for which monetary damages would not be an adequate remedy and that AltiGen shall be entitled to equitable relief in addition to any remedies it may have hereunder or at law. Any amendments or waivers shall be effective only if made in writing by non-preprinted agreements clearly understood by both parties to be an amendment or waiver and signed by an authorized representative of each party. This EULA is the final and complete agreement between the parties relating to the license of the Software.

4290-0025 Rev B